

SYNOPSIS OF STEAM CLEANERS (1 OF 4)

Product/Model	CL 2010 *GP	CL 2000 *GP	CL 2005 *GP	CL 9001 GP
Manufacturer or Distributor	CD Nelson MFG & Supply P.O. Box 726 27421 N. Darrell Road Wauconda, IL 60084 Phone: (847) 487-4870 FAX: (847) 487-4873	CD Nelson MFG & Supply P.O. Box 726 27421 N. Darrell Road Wauconda, IL 60084 Phone: (847) 487-4870 FAX: (847) 487-4873	CD Nelson MFG & Supply P.O. Box 726 27421 N. Darrell Road Wauconda, IL 60084 Phone: (847) 487-4870 FAX: (847) 487-4873	CD Nelson MFG & Supply P.O. Box 726 27421 N. Darrell Road Wauconda, IL 60084 Phone: (847) 487-4870 FAX: (847) 487-4873
Retail Cost	\$659.00	\$1757.00	\$999.00	\$2573.00
Government Cost	\$593.10	\$1581.30	\$899.10	\$2315.70
Dimensions	7.5"W x 10"D x 16"H	9"W x 22"D x 16"H	9"W x 11.75"D x 16"H	21"W x 19"D x 19"H
Steam Pressure	60-80 psi, adjustable	60-80 psi, adjustable	60-80 psi, adjustable	60-80 psi, adjustable
Self-Contained or Continuous Water Source	Self-contained. Continuous is optional.	Self-contained. Continuous is optional.	Self-contained. Continuous is optional.	Self-contained. Continuous is optional.
Self-Contained Water Source Capacity	1.4 gal	4.4 gal	2.3 gal	6 gal
Steam Chamber Material	Stainless steel	Stainless steel	Stainless steel	Glass-lined porcelain
Voltage	110v or 220v	110v or 220v	110v or 220v	110v or 220v
Adjustable Thermostat	Yes	Yes	Yes	Yes
Wet or Dry Steam	Both	Both	Both	Both
Built-in or Hand-held Steam Nozzle	Built-in. Hand-held is optional.	Built-in. Hand-held is optional.	Built-in. Hand-held is optional.	Built-in. Hand-held is optional.
Foot Pedal Included	Yes	Yes	Yes	Yes
Low Water or Built-in Water Level Indicator	Low water indicator. Built-in indicator is optional.			
Auto Shut-off	Optional	Optional	Optional	Yes
Safety Features	All enclosed components. Energy efficient insulation. Automatic check valve. CE certified.	All enclosed components. Energy efficient insulation. Automatic check valve. CE certified.	All enclosed components. Energy efficient insulation. Automatic check valve. CE certified.	All enclosed components. Energy efficient insulation. Automatic check valve. CE certified.

SYNOPSIS OF STEAM CLEANERS (2 OF 4)

Product/Model	Emmevi VAP 6-A	Emmevi VAP 6	Emmevi Aqua	Steaman Constant
Manufacturer or Distributor	Harris Discount Supply 7505 W. Melrose Lane STE. A Oklahoma City, OK 73127 Phone: (800) 227-8524	Harris Discount Supply 7505 W. Melrose Lane STE. A Oklahoma City, OK 73127 Phone: (800) 227-8524	Harris Discount Supply 7505 W. Melrose Lane STE. A Oklahoma City, OK 73127 Phone: (800) 227-8524	Bar Instruments 1441 Pleasant Oaks Place Thousand Oaks, CA 91362 Phone: (805) 496-5401 FAX: (805) 486-3929
Retail Cost	\$1795.00 + shipping	\$1449.00 + shipping	\$689.00 + shipping	\$1300.00
Government Cost	\$1795.00 + shipping	\$1449.00 + shipping	\$689.00 + shipping	\$1200.00
Dimensions	11.5"W x18.1"D x 16.5"H	11.5"W x18.1"D x 16.5"H	12"W x 15.75"D x 12"H	14"W x 8"D x 8.5"H
Steam Pressure	6 bars (87psi)	6 bars (87 psi)	5 bars (86 psi)	75 psi
Self-Contained or Continuous Water Source	Continuous	Self-Contained	Self-Contained	Continuous
Self-Contained Water Source Capacity	N/A	2.5 liters (0.7 gal)	3 liters (0.8 gal)	N/A
Steam Chamber Material	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Voltage	110v	110v	115v	110v/60hz
Adjustable Thermostat	No	No	No	Yes
Wet or Dry Steam	Both	Both	Both	Wet
Built-in or Hand-held Steam Nozzle	Hand-held	Hand-held	Hand-held	Hand-held
Foot Pedal Included	No	No	Yes	No
Low Water or Built-in Water Level Indicator	Low Water	Low Water	Both	Both
Auto Shut-off	Yes	Yes	Yes	Yes
Safety Features	European CE certified. Safety pressure switch with resistance inhibition and illuminated indicator. Safety valve.	European CE certified. Safety pressure switch with resistance inhibition and illuminated indicator. Safety valve.	Electronic management of water level and resistance supply. Safety top w/steam discharging & anti-unscrewing system if overpressurized. Internal safety system in case of overheating.	Pressure, heat, and electric monitors for added protection.

SYNOPSIS OF STEAM CLEANERS (3 OF 4)

Product/Model	Steaman II	Steaman Jr	Green Dragon 15-2000	Silver Dragon 15-100S
Manufacturer or Distributor	Bar Instruments 1441 Pleasant Oaks Place Thousand Oaks, CA 91362 Phone: (805) 496-5401 FAX: (805) 486-3929	Bar Instruments 1441 Pleasant Oaks Place Thousand Oaks, CA 91362 Phone: (805) -496-5401 FAX: (805) 486-3929	Newell MFG Co. 30 East Adams Chicago, IL 60603 Phone: (800) 621-6296 FAX: (312) 236-2231	Newell MFG Co. 30 East Adams Chicago, IL 60603 Phone: (800) 621-6296 FAX: (312) 236-2231
Retail Cost	\$975.00	\$775.00	\$629.00	\$659.00
Government Cost	\$900.00	\$700.00	\$440.30	\$461.30
Dimensions	9"W x 12"D x 9.5"H	8"W x 11"D x 8.5"H	9"W x 12"D x 10"H	9"W x 12"D x 10"H
Steam Pressure	75 psi	75 psi	90-125 psi	90-125 psi
Self-Contained or Continuous Water Source	Self-contained	Self-contained	Outside (i.e., separate) water reservoir	Outside (i.e., separate) water reservoir
Self-Contained Water Source Capacity	0.5 gal	1 quart	N/A	N/A
Steam Chamber Material	Stainless steel	Stainless steel	Aluminum	Aluminum
Voltage	110v/60hz	110v/60hz	110-120v	110-125v
Adjustable Thermostat	Yes	Yes	Yes	Yes
Wet or Dry Steam	Wet	Wet	Dry	Dry
Built-in or Hand-held Steam Nozzle	Hand-held	Hand-held	Built-in. Hand-held is available.	Built-in. Hand-held is available.
Foot Pedal Included	No	No	Yes	Yes
Low Water or Built-in Water Level Indicator	Both	Both	No	No
Auto Shut-off	Yes	Yes	Yes	Yes
Safety Features	Pressure, heat, and electric monitors for added protection.	Pressure, heat, and electric monitors for added protection.	Blow-off valve. Thermo-fuse relay cutoff. UL & CE listed.	Blow-off valve. Thermo-fuse relay cutoff. UL & CE listed.

SYNOPSIS OF STEAM CLEANERS (4 OF 4)

Product/Model	Steam Dragon 15-100FP	Portable Steamer	Steam Cleaner Model 24,900 (110v) Model 24,900x (220v)	Triton SL
Manufacturer or Distributor	Newell MFG Co. 30 East Adams Chicago, IL 60603 Phone: (800) 621-6296 FAX: (312) 236-2231	Kerrlab 1717 W. Collins Orange, CA 92867 Phone: (800) 537-7187 FAX: (800) 537-7345	Grobet USA 750 Washington Ave. Carlstadt, NJ 07072 Phone: (888) 447-6238 Fax: (800) 243-2432	BEGO USA Inc. 90 Douglas Pike, STE 2 Smithfield, RI 02917 Phone: (800) 342-2346 FAX: (401) 232-3238
Retail Cost	\$769.00	\$1499.95	NA	\$2995.00
Government Cost	\$538.30	\$799.92	\$890.00 – 110 volt \$920.00 – 220 volt	\$2546.00
Dimensions	15"W x 12"D x 11"H	7"W x 12"D x 13"H	14.5"W x 10.5"D x 14"H	15"W x 11"D x 22"H
Steam Pressure	90-125 psi	60 psi, adjustable	70–80 psi	45-60 psi
Self-Contained or Continuous Water Source	Self-contained; has outside, separate water reservoir	Self-contained	Self-contained	Continuous
Self-Contained Water Source Capacity	N/A	0.5 gal	2.3 gal	N/A
Steam Chamber Material	Aluminum	Stainless steel	Rolled steel	Stainless steel
Voltage	110-120v or 220-240v	110-120v	110 volt or 220 volt	110 volt
Adjustable Thermostat	Yes	No	Yes	No
Wet or Dry Steam	Dry	Wet	Both	Both
Built-in or Hand-held Steam Nozzle	Built-in. Hand-held available.	Hand-held	Built-I	Hand-held
Foot Pedal Included	Yes	No	Yes	No
Low Water or Built-in Water Level Indicator	No	Both	Both	Both
Auto Shut-off	Yes	Yes. Heater shuts off when water level is too low.	Yes. Shuts off when water level is too low.	Yes
Safety Features	Blow-off valve. Thermo-fuse relay cutoff. UL & CE listed.	Audible low-water indicator. May only be filled when there is no pressure in the unit.		Water leak detector. Locking lid. If operating pressure is exceeded, water and heater shut off.